

Stationary hot water pressure washers for permanent outside placement

The TRUCK BOOSTER is a simple, robust and corrosion proof hot water stationary unit designed for permanent external placement in a forecourt. This enables constant cleaning of trucks, vans, commercial and construction vehicles and equipment. Simple to use, access to internal components can be locked.






- Stainless steel robust design against corrosion
- EcoPower boiler for reduced fuel consumption costs
- Silent Power, low noise level with 1450 rpm motor pump units
- Simple control panel with only 4 buttons
- ERGO 3000 accessories for added user friendliness
- Internal frost protection down to minus 20°C
- Compact design
- Available in both single phase and three phase formats

Hot water stationary unit for permanent placement outside for use in fleet, haulage sectors or in slaughterhouse delivery yards.



Picture shown may not represent model quoted

• Standard equipment

Included accessories	Ref. no.	Min. required	SH TRUCK 7P-175/1260 400/3/50 EU	SH TRUCK 5M-180/970 400/3/50 EU	SH TRUCK 5M-85/850 230/1/50 EU
<b>Ergo System Coupling and Adapter</b>					
 ERGO COUPLING KIT	101119496	1	•	•	•
<b>High Pressure Female Coupling</b>					
 HOSE NOZZLE 20R3/4	61369	1	•	•	•
<b>High Pressure Hose, DN10</b>					
 HOSE DN10 10 M 2W 3/8X3/8 INCH	6101766	1	•	•	•
<b>Spray Gun</b>					
 ERGO 2000 STANDARD W. HOSE SWIVEL	106403122	1	•	•	•
<b>Tornado Lance</b>					
 TORNADO PLUS 1120 BEND W/O NOZZLE	106403010	1	•	•	•



## Stationary hot water pressure washers for permanent outside placement

Included accessories	Ref. no.	Min. required	SH TRUCK 7P-175/1260 400/3/50 EU	SH TRUCK 5M-180/970 400/3/50 EU	SH TRUCK 5M-85/850 230/1/50 EU
<b>Tornado Nozzle with Indication Ring</b>					
NOZZLE 0550 INDICATION RING NEONGREEN	101119743	1		•	
NOZZLE 0680 INDICATION RING GREY	101119747	1	•		
NOZZLE 0700 INDICATION RING ORANGE	101119748	1			•

Model	SH TRUCK 7P-175/1260 400/3/50 EU	SH TRUCK 5M-180/970 400/3/50 EU	SH TRUCK 5M-85/850 230/1/50 EU
Ref. no.	107370810	107370830	107370840

## PRODUCT FEATURES

Full ceramic pistons	•	•	•
Stainless steel frame	•	•	•
Automatic standby	•	•	•
EcoPower boiler-high efficiency	•	•	•
SilentPower - 1450 rpm motor	•	•	•
QuickService - innovative concept	•	•	•
C3 4-ceramic piston pump	•		
Ergo accessory system	•	•	•
Wdk dual detergent injector	•	•	•
Compact design	•	•	•
Internal heater and insulation for frost protection	•	•	•
Flame sensor	•	•	•
Water brake tank	•	•	•









Technical specifications	SH TRUCK 7P-175/1260 400/3/50 EU	SH TRUCK 5M-180/970 400/3/50 EU	SH TRUCK 5M-85/850 230/1/50 EU
Pump pressure (bar/MPa)	175/17.5	180/18	85/8.5
Cleaning impact (kg/force)	6.3	4.9	3
Pump (RPM)	1450	1450	1450
Power consumption (kW)	8.2	7.2	3.2
Voltage/phase/frequency/current (V/~/HZ/A)	400/3/50/17.5	400/3/50/18	230/1/50/15.2
Water flow Qmax/Qiec (l/h)	1260/1170	970/930	850/800
Water temperature (water/steam) (°C)	90/150	90/150	90/150
Fuel consumption, motor (Diesel) kg/h	5.3	4.3	3.8
Fuel tank ( L )	33	33	33
Detergent tank (l)	2 x 25	2 x 25	2 x 25
Nozzle size	.0680	.0550	.0700
Max inlet temperature (°C)	30	30	30



## Stationary hot water pressure washers for permanent outside placement












Technical specifications	SH TRUCK 7P-175/1260 400/3/50 EU	SH TRUCK 5M-180/970 400/3/50 EU	SH TRUCK 5M-85/850 230/1/50 EU
Ceramic pistons	4	3	3
Length x width x height (MM)	1025x715x1670	1025x715x1670	1025x715x1670
Weight (KG)	262	227	217
Sound power level, re Directive 2000/14/EU (LwA)	92	90	85

● Standard equipment, ○ Supplementary accessories, □ Mountable equipment











Accessories	Ref. no.	Min. required	SH TRUCK 7P-175/1260 400/3/50 EU	SH TRUCK 5M-180/970 400/3/50 EU	SH TRUCK 5M-85/850 230/1/50 EU
<b>Standard Nozzle 50° 1/8" NPT</b>					
 HP NOZZLE 50070 1/8	5007	1			○
<b>Special Nozzle</b>					
 CONTAINER CLEANING NOZZLE	15861	1	○	○	○
 NOZZLE FOR LONG LANCEJET 6-7 M	2802696	1	○	○	○
 NOZZLE PROTECTION CAP PA	18430	1	○	○	○
VARIO NOZZLE HL-I 1/8-27N	56829	1	○	○	○
 VARIO-NOZZLE CASING 1/8	5888	1	○	○	○
<b>High Pressure Male Coupling</b>					
 ADAPTER KEW QUICK COUPLING MALE 3/8	66159	1	○	○	○
 ADAPTOR 3/8 INCH MALE FOR HOSE	6401067	1	○	○	○
 ADAPTOR KEW GUN TO WAP ACCESS.	66161	0	○	○	○
GARDENA COUPLING HOSE END 1/2 BULK	1608629	1	○	○	○














## Stationary hot water pressure washers for permanent outside placement

Accessories		Ref. no.	Min. required	SH TRUCK 7P-175/1260 400/3/50 EU	SH TRUCK 5M-180/970 400/3/50 EU	SH TRUCK 5M-85/850 230/1/50 EU
	GEKA COUPLING HOSE END 3/4	1311	1	○	○	○
	LP NIPPLE F. Q.-COUPLING 3/4IN	1600659	1	○	○	○
	NITO COUPLING HOSE END 1	1604669	1	○	○	○
<b>Standard Nozzle 15° 1/8" NPT</b>						
	HP NOZZLE 15070 1/8	1507	1			○
<b>High Pressure Female Coupling</b>						
	ADAPTER KEW QUICK COUPLING FEMALE 3/8	66160	0	○	○	○
	ADAPTER WAP GUN COUPLING FEMALE M21X1.5	66162	0	○	○	○
	COUPLING GEKA FEMALE - INT THREAD 3/4 IN	1718	1	○	○	○
	HOSE NOZZLE 20R3/4	61369	1	●	●	●
	QUICK COUPLING 3/4 W/GASKET	1602945	1	○	○	○
<b>Standard Nozzle 25° 1/8" NPT</b>						
	HP NOZZLE 25055 1/8 INCH NPT	7814	1		○	
	HP NOZZLE 25070 1/8 INCH NPT	2507	1			○












## Stationary hot water pressure washers for permanent outside placement

Accessories		Ref. no.	Min. required	SH TRUCK 7P-175/1260 400/3/50 EU	SH TRUCK 5M-180/970 400/3/50 EU	SH TRUCK 5M-85/850 230/1/50 EU
<b>Standard Nozzle 0° 1/8" NPT</b>						
	HP-NOZZLE 0070 1/8	7820	1			○
<b>Abrasive Blasting</b>						
	LANCE SOFTBLASTING W. NOZZLE 05	6401233	1		○	
	NOZZLE FOR WSB - FLAT RUBBER 10 PC.	6402317	1	○	○	○
	SAND PLUGGER AND HOSE VSB	6400375	1	○	○	○
	SUPER BLAST 25KG	8379	1	○	○	○
<b>Detergent</b>						
	ALTO ACIDO 10 L	81204	1	○	○	○
	ALTO ACTIVE WAX 10 L	81177	1	○	○	○
	ALTO ALLOSIL 10 L	81237	1	○	○	○
	ALTO ANTI-STONE 10 L	80919	1	○	○	○
	ALTO COMBI ACTIVE 10L	81172	1	○	○	○
	ALTO INTENSIVE 10 L	81137	1	○	○	○











## Stationary hot water pressure washers for permanent outside placement

Accessories		Ref. no.	Min. required	SH TRUCK 7P-175/1260 400/3/50 EU	SH TRUCK 5M-180/970 400/3/50 EU	SH TRUCK 5M-85/850 230/1/50 EU
	ALTO J 25 MULTI 10 L	80923	1	○	○	○
	ALTO RIMTOP 10 L	80935	1	○	○	○
	ALTO SAPPHIRE 10 L	81180	1	○	○	○
	ALTO STONE-EX 10 L	81191	1	○	○	○
	ALTO SUPERPLUS 10 L	81170	1	○	○	○
	ALTO UNIVERSAL 10 L	80930	1	○	○	○
	ANTI-STONE SET-6X1 L	8466	1	○	○	○
	AUTO ACTIVE 10 L	81136	1	○	○	○
<b>Brush Washing</b>						
	BRUSH INSERT	10356	1	○	○	○
	WASH BRUSH - ERGO - UNIVERSAL LANCE	14202	1	○	○	○
	WASH BRUSH L1550 MM	6400088	1	○	○	○








## Stationary hot water pressure washers for permanent outside placement

Accessories		Ref. no.	Min. required	SH TRUCK 7P-175/1260 400/3/50 EU	SH TRUCK 5M-180/970 400/3/50 EU	SH TRUCK 5M-85/850 230/1/50 EU
	WASH BRUSH L2350 MM	6400087	1	○	○	○
<b>Drain and Pipe Cleaning</b>						
	DRAIN CLEANER 06 20M HOSE	6401268	1	○	○	○
	DRAIN NOZZLE 06. 3/8	2800894	1	○	○	○
	PIPE CLEANING NOZZLE 1/8INC IG DN4	46921	1	○	○	○
	PIPE CLEANING ROTATY NOZZLE 1/8INC IG DN	46918	1	○	○	○
<b>TurboHammer Nozzle</b>						
	NOZZLE TURBOHAMMER HEAD .0450 W11	48874	1		○	
	NOZZLE TURBOHAMMER HEAD .0550 W11	48875	1		○	
	NOZZLE TURBOHAMMER HEAD .0550 W12	49287	1		○	
	TURBOHAMMER NOZZLE W11 070	48981	1			○
<b>FlexoPower Lance</b>						
	FLEXOPOWER HOUSE F.NZ 1/8 OUTS. THREAD	63251	1	○	○	○
	FLEXOPOWER PLUS 960 BEND W/O NOZZLE	106402282	1	○	○	○












## Stationary hot water pressure washers for permanent outside placement

Accessories		Ref. no.	Min. required	SH TRUCK 7P-175/1260 400/3/50 EU	SH TRUCK 5M-180/970 400/3/50 EU	SH TRUCK 5M-85/850 230/1/50 EU
	FLEXOPOWER PLUS 990 BEND W/O NOZ.	106402281	1	○	○	○
<b>Filter Pressure Washer</b>						
	CARTRIDGE FILTER REPLACEM. 50 µM	1104041	1	○	○	○
<b>Non Blacking High Pressure Hose, DN10</b>						
	20 M 2 WIRE HOSE 3/8 FOOD	1401991	1	○	○	○
	25 M 2 WIRE HOSE 3/8 FOOD	1402007	1	○	○	○
	30 M 2 WIRE HOSE 3/8 FOOD	1402015	1	○	○	○
	HOSE DN10 10 M 2W 3/8X3/8 GRAU-FOOD	6101767	1	○	○	○
	HOSE DN10 15 M 2W 3/8X3/8 GRAY-FOOD	1401983	1	○	○	○
<b>High Pressure Hose, DN10</b>						
	2 M 2 WIRE HOSE 3/8 DN10	1402924	1	○	○	○
	3 M 2 WIRE HOSE 3/8 DN10	1402932	1	○	○	○
	5 M 2 WIRE HOSE 3/8 DN10	1402940	1	○	○	○
	25 M 2 WIRE HOSE 3/8 DN10	1402080	1	○	○	○











## Stationary hot water pressure washers for permanent outside placement

Accessories		Ref. no.	Min. required	SH TRUCK 7P-175/1260 400/3/50 EU	SH TRUCK 5M-180/970 400/3/50 EU	SH TRUCK 5M-85/850 230/1/50 EU
	30 M 2 WIRE HOSE 3/8 DN10	1402098	1	○	○	○
	50 M 2 WIRE HOSE 3/8 DN10	1402759	1	○	○	○
	HOSE DN10 10 M 2W 3/8X3/8 INCH	6101766	1	●	●	●
	HP HOSE 3/8INCH 1M DN10. COMPL.	1402916	1	○	○	○
	HP HOSE DN10 150DEG L15000mm	1402064	1	○	○	○
	M 20 WIRE HOSE 3/8 DN10	1402072	1	○	○	○
<b>High Pressure Hose, DN8</b>						
	HOSE DN8 20 M 1W - 3/8X3/8	1405666	1	○	○	○
<b>Ergo System Coupling and Adapter</b>						
	COUPLING - FEMALE/Q-COUPPL 3/8 INCH	106402075	1	○	○	○
	ERGO COUPLING KIT	101119496	1	●	●	●
	HIGH PRESSURE COUPLINGS KIT	101119499	1	○	○	○
	Nippel F. Q-COUPPL. 3/8 INCH	1600493	1	○	○	○

## Stationary hot water pressure washers for permanent outside placement

Accessories		Ref. no.	Min. required	SH TRUCK 7P-175/1260 400/3/50 EU	SH TRUCK 5M-180/970 400/3/50 EU	SH TRUCK 5M-85/850 230/1/50 EU
	NIPPLE F/QUICK COUPLING 3/8 SS	1603101	1	○	○	○
	NIPPLE FOR SPRAY LANCE STAN.L	1609325	0	○	○	○
	PACKING RING 23.8X17.2X2 3/8 INCH St-NBR	1801075	0	○	○	○
<b>Brush Rotary</b>						
	BRISTLE. LONG	6401431	1	○	○	○
	BRUSH HEAD - SHORT BRASS BRISTLE	6401433	1	○	○	○
	NYLON. BRISTLE FOR ROTARY	6401432	1	○	○	○
	ROTARY BRUSH 055 L1700MM	6400019	1		○	
	ROTARY BRUSH 055 L800 MM	6400018	1		○	
	ROTARY BRUSH 065 L1700 MM	6400016	1	○	○	○
<b>Special Lance</b>						
	CURVED LANCE L1090 MM	6402016	1	○	○	○
	LANCE SINGLE 1500MM W/O NOZZLE	6401193	1	○	○	○
	UNDER CARRIAGE WASHER 40065	6400036	1	○	○	○









## Stationary hot water pressure washers for permanent outside placement

Accessories	Ref. no.	Min. required	SH TRUCK 7P-175/1260 400/3/50 EU	SH TRUCK 5M-180/970 400/3/50 EU	SH TRUCK 5M-85/850 230/1/50 EU	
<b>Hose Reel</b>						
	CLEANING TROLLEY SS W/HOSE REEL FOAM IN	6401094	1	○	○	○
<b>Injector and Foam Sprayer</b>						
	03 INJECTOR COMPLETE	6401247	1	○	○	○
	DETERGENT BOTTLE 2.5 L	107141635	0	○	○	○
	DETERGENT TANK W.SAFETY CAP - 2.5 LTR.	106403162	0	○	○	○
	FOAM INJECTOR AGRESSIVE LQDS	6401245	1	○	○	○
	FOAM INJECTOR W BYPASS	6401242	1	○	○	○
	FOAM INJECTOR W BYPASS S. S	6401243	1	○	○	○
	FOAM INJECTOR STANDARD	6401244	1	○	○	○
	FOAM LANCE COMPLETE L600 MM	6404368	1	○	○	○
	FOAM LANCE COMPLETE L1200 MM	6404369	1	○	○	○
<b>Spray Gun</b>						
	ERGO 2000 STANDARD W. HOSE SWIVEL	106403122	1	●	●	●

## Stationary hot water pressure washers for permanent outside placement

Accessories		Ref. no.	Min. required	SH TRUCK 7P-175/1260 400/3/50 EU	SH TRUCK 5M-180/970 400/3/50 EU	SH TRUCK 5M-85/850 230/1/50 EU
	REP. KIT SWIVEL JOINT	101119484	1		○	○
	SIDE BAR COMPL.	106402110	1	○	○	○
	SPRAY HANDLE W. SWIVEL LOCK	106402190	1	○	○	○
<b>Tornado Nozzle with Indication Ring</b>						
	NOZZLE 0550 INDICATION RING NEONGREEN	101119743	1		●	
	NOZZLE 0680 INDICATION RING GREY	101119747	1	●		
	NOZZLE 0700 INDICATION RING ORANGE	101119748	1			●
	NOZZLE PROTECTION F. TORNADOL.	106402425	1	○	○	○
<b>Short Lance</b>						
	DOUBLE LANCE W/O NOZZLE 90MM	106402150	1	○	○	○
	SINGLE LANCE W/O NOZZLE 90MM	106402151	1	○	○	○
<b>Tornado Lance</b>						
	TORNADO PLUS 630 STRAIGHT W/O NOZZLE	106403013	0	○	○	○
	TORNADO PLUS 1000 BEND W/O NOZZLE	106403011	1	○	○	○
	TORNADO PLUS 1120 BEND W/O NOZZLE	106403010	1	●	●	●
	TORNADO PLUS 2080 BEND W/O NOZZLE	106403012	1	○	○	○

## Stationary hot water pressure washers for permanent outside placement

Accessories	Ref. no.	Min. required	SH TRUCK 7P-175/1260 400/3/50 EU	SH TRUCK 5M-180/970 400/3/50 EU	SH TRUCK 5M-85/850 230/1/50 EU	
<b>Universal Lance</b>						
	UNIVERSAL PLUS 650 W/O NOZZLE STRAIGHT	106403032	1	○	○	○
	UNIVERSAL PLUS 1080 W/O NOZZ STRAIGHT	106403033	1	○	○	○
	UNIVERSAL PLUS 1560 W/O NOZZLE STRAIGHT	106403031	1	○	○	○
	UNIVERSAL PLUS 2060 W/O NOZZLE STRAIGHT	106403030	1	○	○	○
	UNIVERSAL PLUS LANCE 940 BEND W/O NOZZ	106403036	1	○	○	○
	UNIVERSAL PLUS LANCE 1080 BEND W/O NOZZ	106403035	1	○	○	○
	UNIVERSAL PLUS LANCE 1230 BEND W/O NOZZL	106403034	1	○	○	○
<b>Stationary Equipment</b>						
	EXHOUST DIVERTER AUTO/TRUCK ACCESSORY	107318048	1	○	○	○
	OPTION CLOSED CIRCUIT FROST PROTECTION K	107370971	1	○	○	○
	OPTION INSULATION CABINET	107370975	1	○	○	○
	OPTION NO SCALE	107370974	1	○	○	○
<b>Surface Cleaning Rotary</b>						
	HYDROSCRUB P400 W/O NOZZLES	106403157	0	○	○	○
	HYDROSCRUB P500M Ø500 W/WHEELS W/O NOZZL	106403159	0	○	○	○
	HYDROSCRUB S500 Ø500 W/O NOZZLES	106403158	0	○	○	○
<b>Hose and Connection</b>						
	WATER INLET HOSE 3/4 P/	6465	0	○	○	○

